

2024

# Repair Stands Catalogue


[www.olystraspecialtools.com](http://www.olystraspecialtools.com)  
[sales@olympicindustrials.in](mailto:sales@olympicindustrials.in)



**OLYSTRA**  
SPECIAL TOOLS

# ENGINE ROTATING STAND

For Heavy Commercial Vehicles



## MECHANISM

*Worm Gear Driven by Bevel Gears Set*

## MODE OF OPERATION

*Manual (Hand Driven)*

## MAXIMUM LOAD CAPACITY

*700 kg*

## LOCK


*4 Stage (each at 90° interval)*

## CONSTRUCTION

*Channel Structure*

# ENGINE REPAIR STAND

With 2 Mounting Brackets for 11 Engines



## MECHANISM

*Worm Gear Driven by Bevel Gears Set*

## MODE OF OPERATION

*Manual (Hand Driven)*

## MAXIMUM LOAD CAPACITY

*700 kg*

## LOCK


*4 Stage (each at 90° interval)*

## CONSTRUCTION

*Channel Structure*

# GEARBOX ROTATING STAND

For Heavy Commercial Vehicles



6 Speed Gearbox Bracket  
Capacity - 350 kg



9 Speed Gear Box Bracket  
Capacity- 400 kg



## **MECHANISM**

*Enhanced Heavy Worm Gear Set with Bevel Pinion*

## **MAXIMUM LOAD CAPACITY**

*1000 kg*

# DRIVE HEAD STAND

Multiple range of drive heads can be mounted



**MAXIMUM LOAD CAPACITY**

300 kg

**LOCK**

Adjustable Bracket with 4 Locking Positions

# ENGINE REMOVING / RE-FIXING TROLLEY

Suitable for engines of cowl model vehicles



**MECHANISM** Enhanced Heavy Worm Gear Set with Bevel Pinion


**MAXIMUM LOAD CAPACITY** 600 kg

**MAXIMUM LIFT** 250 mm



# GEAR REMOVAL & RE-FIXING TROLLEY

For medium and heavy duty



<b>MAXIMUM HEIGHT</b>	700 mm
-----------------------	--------

<b>MINIMUM HEIGHT</b>	170 mm
-----------------------	--------

<b>MAXIMUM LOAD CAPACITY</b>	350 kg
------------------------------	--------

# DOUBLE SCISSOR

For heavy duty

<b>MAXIMUM HEIGHT</b>	1,100 mm
-----------------------	----------


<b>MINIMUM HEIGHT</b>	280 mm
-----------------------	--------

<b>MAXIMUM LOAD CAPACITY</b>	350 kg
------------------------------	--------



# ENGINE & GEARBOX REPAIR COMBO STAND

With mechanical screw jack



**MAXIMUM LOAD CAPACITY**


1000 kg

## OIL DRAIN TROLLEY


**MECHANISM** *Perforated sheet for oil flow into trolley with wheels*

**MAXIMUM LOAD CAPACITY**

40 liters



## CABIN HOLDING STAND



# PROPELLER SHAFT MOUNTING STAND

With screw adjustment



**MAXIMUM LOAD CAPACITY**

*200 kg*

## ENGINE MOUNTING STAND

For SCV rotatable



**MAXIMUM LOAD CAPACITY**

*450 kg*

## GEARBOX MOUNTING STAND

For SCV rotatable




**MAXIMUM LOAD CAPACITY**

*400 kg*



# REAR AXLE HOLDING STAND

For heavy commercial vehicle



**MAXIMUM LOAD CAPACITY**

500 kg

## REAR AXLE STAND

For medium & heavy commercial vehicle



**MAXIMUM LOAD CAPACITY**

500 kg

## HALF REAR AXLE HOLDING STAND

For heavy commercial vehicle



**MAXIMUM LOAD CAPACITY**

250 kg

## TYRE HANDLING TROLLEY

For single tyre



**MAXIMUM LOAD CAPACITY**

150 kg

## TYRE REMOVING & REFIXING TROLLEY

For 2 tyres with wheel drums




**MAXIMUM LOAD CAPACITY**

300 kg

## TYRE STORAGE STAND

For 10R20




**MAXIMUM LOAD CAPACITY**

4 Tyres

# DIESEL TANK REMOVING & RE-FIXING TROLLEY

For medium & heavy commercial vehicle



**MECHANISM** *Sliding holder to suit different sizes of diesel tanks*

**MAXIMUM LOAD CAPACITY** *160 kg*

# BATTERY REMOVING & RE-FIXING TROLLEY


For For 10R20

**MECHANISM**

*Height adjustable tray to suit the vehicle battery shelf height*

**MAXIMUM LOAD CAPACITY**

*100 kg per tray*



## WHY OLYSTRA?



## OUR CUSTOMERS



**Bobcat**

**ISUZU**

**MAHINDRA TRUCK & BUS**



**Olectra**



**BOSCH**

**ROYAL ENFIELD**

**EATON**

**HENDRICKSON**



**SPICER**



**OLYSTRA SPECIAL TOOLS**

A brand of olympic industrials

39/19 West Madha Church Road, Royapuram, Chennai - 600013

Ph: 044 25974035, 7550219860; Email: [sales@olympicindustrials.in](mailto:sales@olympicindustrials.in); Web: [www.olympicindustrials.in](http://www.olympicindustrials.in)